



Patent  
Attorney's Docket No. 026350-070

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of

Roumiana TSENKOVA

Application No.: 09/980,223

Filed: May 28, 2002

For: METHOD AND APPARATUS FOR  
DIAGNOSING THE PRESENCE OR  
ABSENCE OF MASTITIS BY USING  
VISUAL LIGHT RAYS AND/OR  
NEAR INFRARED RAYS

Group Art Unit: 3736

Examiner: Matthew Kremer

Confirmation No. 1320

RECEIVED  
DEC 24 2003  
TECHNOLOGY CENTER R3700

PETITION FOR EXTENSION OF TIME

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Sir:

The following extension of time is requested to respond to the Office Action mailed July 17, 2003:

F E E		
<input type="checkbox"/> one month to	<input type="checkbox"/> \$55.00 (2251)	<input type="checkbox"/> \$110.00 (1251)
<input type="checkbox"/> two months to	<input type="checkbox"/> \$210.00 (2252)	<input type="checkbox"/> \$420.00 (1252)
<input checked="" type="checkbox"/> three months to January 17, 2004	<input checked="" type="checkbox"/> \$475.00 (2253)	<input type="checkbox"/> \$950.00 (1253)
<input type="checkbox"/> four months to	<input type="checkbox"/> \$740.00 (2254)	<input type="checkbox"/> \$1,480.00 (1254)
<input type="checkbox"/> five months to	<input type="checkbox"/> \$1,005.00 (2255)	<input type="checkbox"/> \$2,010.00 (1255)

☐ The shortened statutory period has been reset by an Advisory Action dated

☐ An extension fee in the amount of \$\_\_\_\_\_ is enclosed.

☒ Charge \$ 475.00 to Deposit Account No. 02-4800.

The Director is hereby authorized to charge any appropriate fees under 37 C.F.R. §§ 1.16, 1.17 and 1.21 that may be required by this paper, and to credit any overpayment, to Deposit Account No. 02-4800. This paper is submitted in duplicate.

Respectfully submitted,

BURNS, DOANE, SWECKER & MATHIS, L.L.P.

By:   
Samuel C. Miller, III  
Registration No. 27,360

Date: December 18, 2003

P.O. Box 1404  
Alexandria, Virginia 22313-1404  
(703) 836-6620

12/19/2003 YPOLITE1 00000074 024800 09980223  
01 FC:2253 475.00 DA

B